## In the Claims

Please replace the originally filed claims with the claims below.

- 1. (currently amended) A method for cultivating microorganisms of the genus order Thraustochytriales, wherein the microorganisms are cultivated in a fermentation medium without adding sodium salts and chloride salts, with the total salt content being less than 3.5 g/L of total salts, wherein the microorganisms bring forth a production of more than 10 wt% DHA per dry biomass, and wherein the fermentation medium contains no added sodium salts or chlorine salt.
  - 2. (canceled)
- 3. (currently amended) The method according to claim 1, wherein up to 3 g/L CaCO<sub>3</sub> are added to the fermentation medium.
- 4. (currently amended) The method according to claim 1, wherein the microorganisms bring forth a production of more than 10 14% DHA per dry biomass.

- 5. (previously presented) The method according to claim 1, wherein the microorganisms bring forth a production of more than 5 % DPA per dry biomass.
- 6. (currently amended) The method according to claim 1, characterized by the use of a low salt <u>fermentation</u> medium, the total salt content of which is in the range  $< \frac{15}{8}$  % of the salt content of sea water.
- 7. (previously presented) The method according to claim 1, characterized in that the sum of the weight fractions of  $Na^+$  and  $Cl^-$  ions in the low salt medium comprises less than 1.75 g/L.
- 8. (previously presented) The method according to claim 1, characterized in that the total sodium content of the low salt medium is less than 150 mg/L.
- 9. (previously presented) The method according to claim 1, characterized in that the total chloride content of the low salt medium is less than 250 mg/L.
- 10. (currently amended) The method according to claim 1, characterized in that the low salt fermentation medium comprises

glucose, yeast extract, magnesium sulfate, calcium carbonate and potassium phosphate.

- 11. (currently amended) The method according to claim 1, characterized in that the low salt <u>fermentation</u> medium comprises glucose, corn steep liquor, magnesium sulfate, calcium carbonate and potassium phosphate.
- 12. (currently amended) The method according to claim 10, characterized in that the low salt <u>fermentation</u> medium comprises magnesium sulfate, calcium carbonate and potassium phosphate at less than 3 g/L each.
- 13. (currently amended) The method according to claim 1, characterized in that the low salt <u>fermentation</u> medium has a pH value of between 3 and 10.
- 14. (previously presented) The method according to claim 1, characterized in that the cultivation takes place between  $10^{\circ}\text{C}$  and  $40^{\circ}\text{C}$ .
- 15. (previously presented) The method according to claim 1, characterized in that the cultivation takes place for 1 to 10 days.

- 16. (previously presented) The method according to claim 1, characterized in that the microorganism belongs to the genus Schizochytrium, Thraustochytrium or Ulkenia.
- 17. (previously presented) The method according to claim 1, characterized in that the microorganism is *Ulkenia* sp. SAM 2179.
- 18. (previously presented) The method according to claim 1, characterized in that the microorganism is *Schizochytrium* sp. SR 21.
- 19. (withdrawn) Oil having a content of at least 10 % DHA, produced using a method according to claim 1 and subsequent isolation of the oil from the culture broth and/or the biomass available therein.
- 20. (withdrawn) Oil having a content of at least 5 % DHA, produced using a method according to claim 1 and subsequent isolation of the oil from the culture broth and/or the biomass available therein.

- 21. (withdrawn) DHA of at least 90 % purity, produced using a method according to claim 1 and subsequent isolation of the DHA from the culture broth and/or the biomass available therein.
- 22. (withdrawn) DPA of at least 90 % purity, produced using a method according to claim 1 and subsequent isolation of the DPA from the culture broth and/or the biomass available therein.
- 23. (withdrawn) Biomass obtainable by means of a method according to claim 1 and subsequent separation of the biomass from the culture broth.
- 24. (withdrawn) Animal feed comprising biomass according to claim 23.
- 25. (withdrawn) Foodstuff for human nutrition comprising biomass according to claim 23.